

Mother & Baby Substance Exposure Initiative Protocols, Guidelines, & Safety Bundles

SCREENING

Use a validated verbal screening and assessment tools to evaluate all pregnant women for substance use disorders

ACOG/ASAM	Summary: Opioid Use and Opioid Use Disorder in Pregnancy. Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy?IsMobileSet=false
AIM	Opioid Screening Tools	https://safehealthcareforeverywoman.org/wp-content/uploads/2018/08/AIM-Opioid-Screening-Tools.pdf
AIM	Safety Bundle for Obstetric Care for Women with Opioid Use Disorder	https://safehealthcareforeverywoman.org/patient-safety-bundles/obstetric-care-for-women-with-opioid-use-disorder/
DHHS	Adult Human Trafficking Screening Tool and Guide	https://www.acf.hhs.gov/sites/default/files/otip/adult_human_trafficking_screening_tool_and_guide.pdf
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder (Fact Sheet 1)	https://store.samhsa.gov/system/files/sma18-5054.pdf
WHO	Guidelines For Identification And Management Of Substance Use And Substance Use Disorders In Pregnancy (page 8)	https://www.who.int/substance_abuse/publications/pregnancy_guidelines/en/
WHO	Screening Instruments for Substance Use in Prenatal or Pregnant Women	https://www.ncbi.nlm.nih.gov/books/NBK200690/

Once substance use is identified, perform a brief intervention and referral to appropriate treatment (SBIRT)

ASAM	The ASAM Criteria	https://www.asam.org/asam-criteria/about
ILPQC	OUD/SBIRT Clinical Algorithm	https://gallery.mailchimp.com/244750cf0d942e5d1b1ca3201/files/4c3b0e1b-dfd3-482e-98d3-a4d6d540ad86/OUD_SBIRT_Algorithm_10.9.19_ab.pdf
NNEPQIN	A Toolkit for the Perinatal Care of Women with Substance Use Disorders (pages 39-49)	http://www.nnepqin.org/wp-content/uploads/2019/03/Toolkit-for-Perinatal-Care-of-Women-with-Substance-Use-Disorders_Final-2019.pdf
SAMHSA	Systems-Level Implementation of Screening, Brief Intervention, and Referral to Treatment	https://store.samhsa.gov/system/files/sma13-4741.pdf

Maternal urine toxicology and the role of explicit/implicit bias in decision-making

ACOG	Alcohol Abuse and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice, Committee Opinion 633	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Ethics/Alcohol-Abuse-and-Other-Substance-Use-Disorders-Ethical-Issues-in-Obstetric-and-Gynecologic-Practice
------	--	---

ACOG/ASAM	Summary: Opioid Use and Opioid Use Disorder in Pregnancy, Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy?IsMobileSet=false
ASAM	Appropriate Use of Drug Testing in Clinical Addiction Medicine	https://www.asam.org/docs/default-source/quality-science/appropriate-use-of-drug-testing-in-clinical-1-(7).pdf?sfvrsn=2
SAMHSA	Clinical Drug Testing in Primary Care - TAP 32	https://store.samhsa.gov/system/files/sma12-4668.pdf
SAMHSA	Reducing Discriminatory Practices in Clinical Settings Resource Guide	https://www.samhsa.gov/sites/default/files/programs_campaigns/02_webcast_3_resources.pdf
Create an antenatal checklist for care of women with OUD		
ILPQC	ILPQC OUD Clinical Care Checklist	https://ilpqc.org/wp-content/docs/toolkits/MNO-OB/ILPQC%20OUD%20Clinical%20Care%20Checklist_1p_ager_Final.2.25%20%281%29.docx
Identify substance-exposed newborns		
AAP	Neonatal Drug Withdrawal	https://pediatrics.aappublications.org/content/129/2/e540
Illinois DPH	Appendix A "Identifying Newborns at Risk for Prenatal Substance Exposure Decision Tree" - Neonatal Abstinence Syndrome Final Report (page 22)	http://www.dph.illinois.gov/sites/default/files/publications/nas-annual-report-march-2019.pdf
Vermont DPH	Screening for Substance Abuse During Pregnancy	http://contentmanager.med.uvm.edu/docs/default-source/vchip-documents/vchip_screening_for_preg_subabuse.pdf?sf
TREATMENT		
Implement trauma informed care in order to optimize patient engagement		
CHCS	10 Key Ingredients for Trauma Informed Care	https://www.traumainformedcare.chcs.org/wp-content/uploads/2018/11/Infographic-TIC.pdf
SAMHSA	Concept of Trauma and Guidance for a Trauma-Informed Approach	https://store.samhsa.gov/system/files/sma14-4884.pdf
SAMHSA	Trauma Informed Care in Behavioral Health Services, Treatment	https://www.integration.samhsa.gov/clinical-practice/SAMSA_TIP_Trauma.pdf
SAMHSA-HRSA	TIC Implementation Planning Guide	https://www.integration.samhsa.gov/about-us/TIC_IC_Implementation_Planning_Guide.pdf
Understand and implement the principles of Motivational Interviewing		
ACOG	Motivational Interviewing: A Tool for Behavioral Change, Committee Opinion No. 423	https://www.acog.org/-/media/Committee-Opinions/Committee-on-Health-Care-for-Underserved-Women/co423.pdf?dmc=1&ts=20190427T2309372544
SAMHSA	Enhancing Motivation For Change in Substance Abuse Treatment	https://store.samhsa.gov/system/files/sma13-4212.pdf

Encourage breastfeeding for women with OUD		
AAP	AAP Policy Statement - Breastfeeding and the Use of Human Milk	https://pediatrics.aappublications.org/content/pediatrics/129/3/e827.full.pdf
ABM	ABM Clinical Protocol #21: Guidelines for Breastfeeding and the Drug-Dependent Woman	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2989871/
ACOG	ACOG Committee Opinion 756 - Optimizing Support for Breastfeeding	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Optimizing-Support-for-Breastfeeding-as-Part-of-Obstetric-Practice
ACOG	ACOG Breastfeeding Toolkit	https://www.acog.org/About-ACOG/ACOG-Departments/Toolkits-for-Health-Care-Providers/Breastfeeding-Toolkit?IsMobileSet=false
CDC	Breastfeeding and Special Circumstances	https://www.cdc.gov/breastfeeding/breastfeeding-special-circumstances/index.html
ILPQC	ILPQC Breastfeeding "Traffic Light" (Guidelines for Substance Exposure and Breastfeeding)	https://gallery.mailchimp.com/244750cf0d942e5d1b1ca3201/files/e93d6b02-6dfc-471b-bac3-3b01a2dfa17f/Breastfeeding_Traffic_Light_Revised.pdf
WHO	Protecting, promoting, and supporting breastfeeding in facilities providing maternal and newborn services : the revised Baby-friendly hospital initiative	https://www.who.int/nutrition/publications/infantfeeding/bfhi-implementation/en/
Initiate Medication Assisted Treatment in the Prenatal Setting		
CA Bridge	Buprenorphine QuickStart in Pregnancy Algorithm	https://static1.squarespace.com/static/5c412ab755b02cec3b4ed998/t/5d6d85ef68abb200012e2ed3/1567458803475/Buprenorphine+Quick+Start+in+Pregnancy+-+9-1-2019.pdf
Implement an inpatient treatment protocol for pregnant women with OUD		
ASAM	The National Practice Guideline (Part 8: Special Populations)	https://www.asam.org/Quality-Science/quality/npg/complete-guideline
ED-Bridge	Buprenorphine QuickStart in Pregnancy Algorithm	https://static1.squarespace.com/static/5c412ab755b02cec3b4ed998/t/5d6d85ef68abb200012e2ed3/1567458803475/Buprenorphine+Quick+Start+in+Pregnancy+-+9-1-2019.pdf
NIDA	COWS - Clinical Opioid Withdrawal Scale	https://www.drugabuse.gov/sites/default/files/files/ClinicalOpiateWithdrawalScale.pdf
SAMHSA	Medications for Opioid Use Disorder - TIP 63	https://store.samhsa.gov/product/TIP-63-Medications-for-Opioid-Use-Disorder-Full-Document-Including-Executive-Summary-and-Parts-1-5-/SMA19-5063FULLDOC
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder (Fact Sheet 2)	https://store.samhsa.gov/system/files/sma18-5054.pdf
Stanford	Ramsay Sedation Scale	https://palliative.stanford.edu/palliative-sedation/appendices/ramsay-sedation-scale/
WHO	Guidelines For Identification And Management Of Substance Use And Substance Use Disorders In Pregnancy (page 11)	https://www.who.int/substance_abuse/publications/pregnancy_guidelines/en/

Implement evidence-based anesthesia practices in the peripartum period for OUD in pregnancy		
ASA	Practice Guidelines for the Prevention, Detection, and Management of respiratory depression associated with neuraxial opioid administration	https://anesthesiology.pubs.asahq.org/article.aspx?articleid=2477976
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder (Fact Sheet 8)	https://store.samhsa.gov/system/files/sma18-5054.pdf
SOAP	Enhanced Recovery After Cesarean (ERAC) Full Consensus Statement	https://soap.org/SOAP-Enhanced-Recovery-After-Cesarean-Consensus-Statement.pdf
Ensure methadone and buprenorphine doses are not tapered in the immediate postpartum period		
NIDA	COWS - Clinical Opioid Withdrawal Scale	https://www.drugabuse.gov/sites/default/files/files/ClinicalOpiateWithdrawalScale.pdf
Stanford	Ramsay Sedation Scale	https://palliative.stanford.edu/palliative-sedation/appendices/ramsay-sedation-scale/
Implement care pathways for peripartum and postpartum pain management for pregnant patients without OUD to minimize opioid use		
AAFP	Chronic Pain Management Toolkit	https://www.aafp.org/patient-care/public-health/pain-opioids/cpm-toolkit.html
ACOG	Postpartum Pain Management, Committee Opinion No. 742	https://www.acog.org/-/media/Committee-Opinions/Committee-on-Obstetric-Practice/CO742.pdf?dmc=1&ts=20190514T1912340416
ACOG/ASAM	Summary: Opioid Use and Opioid Use Disorder in Pregnancy; Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy?IsMobileSet=false
HHS	Pain Management Best Practices (section 2.7.5: Special Populations, Pregnancy)	https://www.hhs.gov/sites/default/files/pmtf-final-report-2019-05-23.pdf
SOAP	Enhanced Recovery After Cesarean (ERAC) Full Consensus Statement	https://soap.org/SOAP-Enhanced-Recovery-After-Cesarean-Consensus-Statement.pdf
Utilize shared decision making to tailor post-procedure pain control		
ACOG	Postpartum Pain Management	https://www.acog.org/-/media/Committee-Opinions/Committee-on-Obstetric-Practice/CO742.pdf?dmc=1&ts=20190514T1912340416
ACOG/ASAM	Summary: Opioid Use and Opioid Use Disorder in Pregnancy, Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy?IsMobileSet=false
ARHQ	Shared Decision Making Toolkit	https://www.ahrq.gov/health-literacy/curriculum-tools/shareddecisionmaking/index.html
Implement a non-pharmacologic NAS bundle of care for medical staff and parents to follow		
AAP	AAP Policy Statement - Breastfeeding and the Use of Human Milk	https://pediatrics.aappublications.org/content/pediatrics/129/3/e827.full.pdf
ABM	ABM Clinical Protocol #21: Guidelines for Breastfeeding and the Drug-Dependent Woman	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2989871/

ACOG	ACOG Committee Opinion 756 - Optimizing Support for Breastfeeding	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Optimizing-Support-for-Breastfeeding-as-Part-of-Obstetric-Practice
ACOG	ACOG Breastfeeding Toolkit	https://www.acog.org/About-ACOG/ACOG-Departments/Toolkits-for-Health-Care-Providers/Breastfeeding-Toolkit?IsMobileSet=false
East Bay Neonatal Specialists	Neonatal Abstinence Guideline	https://www.eastbaynewborn.com/docs/Neonatal_Abstinence_Syndrome_Guideline_with_1-30-2019_Addendum.pdf
ILPQC	Newborn Care Diary	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/ILPQC_Newborn_Care_Diary_final.pdf
WHO	Protecting, promoting, and supporting breastfeeding in facilities providing maternal and newborn services : the revised Baby-friendly hospital initiative	https://www.who.int/nutrition/publications/infantfeeding/bfhi-implementation/en/
Yale	NAS Pathway - includes "Eat, Sleep, Console" Pathway	https://www.lucidchart.com/documents/embeddedchart/32c26d63-9662-4597-9b24-dc5b5797f2af
Develop guidelines for inpatient monitoring of newborns managed with a non-pharmacologic bundle of care		
AAP	ESC Methodology (Figure 1)	https://www.ncbi.nlm.nih.gov/pubmed/29740196
AAP	Finnegan Neonatal Abstinence Scoring System	https://hosppeds.aappublications.org/content/hosppeds/suppl/2017/12/18/hpeds.2017-0128.DCSupplemental/hpeds.2017-0128SupplementaryData.pdf
AAP	Neonatal Drug Withdrawal	http://pediatrics.aappublications.org/content/129/2/e540
AAP	Neonatal Abstinence Syndrome	https://pediatrics.aappublications.org/content/134/2/e547.short
Prioritize measurement of functional impairment as basis for pharmacologic treatment, initiation, and escalation		
AAP	ESC Methodology (from: Grossman et al, <i>Hospital Pediatrics</i> , Figure 1)	https://www.ncbi.nlm.nih.gov/pubmed/29740196
AAP	Finnegan Neonatal Abstinence Scoring System	https://hosppeds.aappublications.org/content/hosppeds/suppl/2017/12/18/hpeds.2017-0128.DCSupplemental/hpeds.2017-0128SupplementaryData.pdf
If pharmacotherapy is indicated, trial of morphine q3 hours PRN (as needed) as an initial strategy for the treatment of NAS instead of scheduled dosing or more long-acting pharmacotherapy options		
ILPQC	ILPQC SSM St Mary's Hospital Guidelines for Pharmacologic Treatment when using Eat, Sleep, Console (ESC) Method	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/SSM-Guidelines-for-Pharmacologic-Treatment-ESC-Method.pdf
Develop guidelines for inpatient monitoring of newborns receiving morphine, clonidine, or methadone pharmacotherapy prior to discharge		
ILPQC	ILPQC SSM St Mary's Hospital Guidelines for Pharmacologic Treatment when using Eat, Sleep, Console (ESC) Method	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/SSM-Guidelines-for-Pharmacologic-Treatment-ESC-Method.pdf

Establish a pharmacotherapy weaning protocol		
ILPQC	ILPQC SSM St. Mary's Hospital Guidelines for Pharmacologic Treatment when using Eat, Sleep, Console (ESC) Method	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/SSM-Guidelines-for-Pharmacologic-Treatment-ESC-Method.pdf
TRANSITIONS OF CARE		
Implement OUD discharge checklists unique to all hospital-based points of entry		
ILPQC	ILPQC OUD Clinical Care Checklist	https://ilpqc.org/wp-content/docs/toolkits/MNO-OB/ILPQC%20OUD%20Clinical%20Care%20Checklist_1p%20ager_Final.2.25%20%281%29.docx
Continue to establish a therapeutic relationship with parents/caregivers once the infant has been born and empower parents to be involved with the care of their newborn		
AAP	AAP Policy Statement - Breastfeeding and the Use of Human Milk	https://pediatrics.aappublications.org/content/pediatrics/129/3/e827.full.pdf
ACOG	ACOG Committee Opinion 756 - Optimizing Support for Breastfeeding	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Optimizing-Support-for-Breastfeeding-as-Part-of-Obstetric-Practice
ACOG	ACOG Breastfeeding Toolkit	https://www.acog.org/About-ACOG/ACOG-Departments/Toolkits-for-Health-Care-Providers/Breastfeeding-Toolkit?IsMobileSet=false
East Bay Neonatal Specialists	Neonatal Abstinence Guideline	https://www.eastbaynewborn.com/docs/Neonatal_Abstinence_Syndrome_Guideline_with_1-30-2019_Addendum.pdf
MAIN	Managing Abstinence in Newborns	http://www.mainbabies.org/
WHO	Protecting, promoting, and supporting breastfeeding in facilities providing maternal and newborn services : the revised Baby-friendly hospital initiative	https://www.who.int/nutrition/publications/infantfeeding/bfhi-implementation/en/
Develop a dyad-centered Plan of Safe Care		
Children and Family Futures	A Planning Guide: Steps to Support a Comprehensive Approach to Plans of Safe Care	https://www.cffutures.org/files/fdc/A-Planning-Guide-Steps-to-Support-a-Comprehensive-Approach-to-Plans-of-Safe-Care-3.21.18-final.pdf
Children and Family Futures	Developing a Plan of Safe Care Approach: What Your Family Treatment Court Needs to Know about Serving Pregnant and Parenting Women with Opioid Use Disorders (slide deck)	http://nadcpcconference.org/wp-content/uploads/2018/05/CG-28.pdf
NCSACW	National Center on Substance Abuse and Child Welfare. Child Abuse and Prevention Treatment Act (CAPTA) Substance Exposed Infants Statutory Summary	https://ncsacw.samhsa.gov/files/CAPTA_SEI_Statutory_Summary.pdf
SAMHSA	A Collaborative Approach to the Treatment of Pregnant Women with Opioid Use Disorder (pages 11-23)	https://store.samhsa.gov/system/files/sma16-4978.pdf
State of Delaware	Delaware POSC Template	http://www.cffutures.org/wpcontent/uploads/2018/12/Delaware-POSC-Template.pdf
State of Vermont	"Vermont Plan of Safe Care template example	https://dcf.vermont.gov/sites/dcf/files/FSD/Docs/Hospital-Plan-Safe-Care.pdf

Implement a warm handoff strategy to follow at time of discharge		
ARHQ	Warm Handoffs A Guide for Clinicians	https://www.ahrq.gov/sites/default/files/wysiwyg/professionals/quality-patient-safety/patient-family-engagement/pfeprimarycare/warm-handoff-guide-for-clinicians.pdf
ILPQC	ILPQC Collaborative Discharge Plan	https://gallery.mailchimp.com/244750cf0d942e5d1b1ca3201/files/c4ac830d-6ffc-4800-badc-92fe422f9aa6/MNO_Neo_Discharge_Mapping_Tool_9.26.2019_V2.01.docx
ILPQC	ILPQC MNO Discharge Checklist	https://gallery.mailchimp.com/244750cf0d942e5d1b1ca3201/files/894fc861-58a4-4b82-b5a5-e9dd603a9cb2/ILPQC_MNO_Discharge_Checklist_11.18.2019_V2.docx
Ensure linkage to home visitation programs, or that other in-home supports are in place		
ACOG	Importance of Social Determinants of Health and Cultural Awareness in the Delivery of Reproductive Health Care, Committee Opinion No. 729	https://www.acog.org/-/media/Committee-Opinions/Committee-on-Health-Care-for-Underserved-Women/co729.pdf
ACOG	Optimizing Postpartum Care, Committee Opinion No. 736	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Optimizing-Postpartum-Care
MCPAP	MCPAP for Moms Toolkit : assist front-line perinatal care providers in the prevention, identification and treatment of depression and other mental health concerns in pregnant and postpartum women	https://www.mcpapformoms.org/Docs/Adult%20Toolkit_10.10.17.pdf
MCPAP	MCPAP for Moms Pediatric Toolkit (for the pediatric provider): support pediatric providers as they detect and screen for mental health concerns	https://www.mcpapformoms.org/Docs/MCPAP%20for%20Moms%20Primer%203-14-18.pdf
SAMHSA	A Collaborative Approach to the Treatment of Pregnant Women with Opioid Use disorder	https://store.samhsa.gov/system/files/sma16-4978.pdf
Ensure referral/linkage to other necessary services/resources at discharge		
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder and their Infants (Sections II & III)	https://store.samhsa.gov/system/files/sma18-5054.pdf
Communicate directly with the outpatient primary care provider prior to the newborn leaving the hospital		
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder and their Infants. (Sections II & III)	https://store.samhsa.gov/system/files/sma18-5054.pdf

EDUCATION

Provide staff and provider education on OUD

ACOG	Alcohol Abuse and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice, Committee Opinion 633	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Ethics/Alcohol-Abuse-and-Other-Substance-Use-Disorders-Ethical-Issues-in-Obstetric-and-Gynecologic-Practice
ACOG/ASAM	Opioid Use and Opioid Use Disorder in Pregnancy, Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy
AIM	Safety Bundle for Obstetric Care for Women with Opioid Use Disorder, Committee Opinion No. 711	https://safehealthcareforeverywoman.org/patient-safety-bundles/obstetric-care-for-women-with-opioid-use-disorder/
SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder and their Infants.	https://store.samhsa.gov/system/files/sma18-5054.pdf
SAMHSA	A Collaborative Approach to the Treatment of Pregnant Women with Opioid Use disorder	https://store.samhsa.gov/system/files/sma16-4978.pdf

Educate patients and families about OUD

SAMHSA	Clinical Guidance for Treating Pregnant and Parenting Women with Opioid Use Disorder (Section I)	https://store.samhsa.gov/system/files/sma18-5054.pdf
--------	--	---

Educate pregnant women about OUD in pregnancy and the hospital experience

ILPQC	ILPQC MNO Prenatal Consultation Guidelines	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/ILPQC_MNO%20Prenatal%20Consultation%20Guidelines_5.18.2018%20%28FINAL%29.pdf
-------	--	---

Provide health care providers with stigma education/resources

ATTC/Danya Institute	Anti-Stigma Toolkit	https://www.montefiore.org/documents/ANTI-STIGMA-TOOLKIT-A-Guide-to-Reducing-Addiction-Related-Stigma.pdf
EDC	Words Matter: How Language Choice Can Reduce Stigma	https://preventionsolutions.edc.org/sites/default/files/attachments/Words-Matter-How-Language-Choice-Can-Reduce-Stigma.pdf
NAABT	The Words We Use Matter	http://www.naabt.org/documents/NAABT_Language.pdf

Educate pregnant women and families about Neonatal Abstinence Syndrome (NAS) and the newborn hospital experience

ACOG/ASAM	Opioid Use and Opioid Use Disorder in Pregnancy, Committee Opinion No. 711	https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Opioid-Use-and-Opioid-Use-Disorder-in-Pregnancy?IsMobileSet=false#75
ILPQC	ILPQC MNO Prenatal Consultation Guidelines	https://ilpqc.org/wp-content/docs/toolkits/MNO-Neo/ILPQC_MNO%20Prenatal%20Consultation%20Guidelines_5.18.2018%20%28FINAL%29.pdf

Educate clinical providers and staff about Neonatal Abstinence Syndrome

AAP	Neonatal Abstinence Syndrome	https://pediatrics.aappublications.org/content/134/2/e547.short
Natl Perinatal Assoc	Language Matters	http://www.nationalperinatal.org/resources/Pictures/2018%20Conference/Language_%20infographic.pdf