

Mother & Baby Substance Exposure Toolkit Best Practices

Treatment

A part of the California Medication Assisted Treatment Expansion Project

This version was published on 2020-08-31

-
-
-
-
-
-
-

o

-

-

-

-

-

-

-

-

-

-



-

-

-

-

-



-

-

-

-

-

-
-

-
-
-

-

-

-

-

-

-

-

-

-

- -
 -

- -
 -

- -

- -
 -
 -
 -


- -
 -
 -

•

•



	Good	Not so Good
Not Changing	1. What are the advantages of the status quo?	2. What are the disadvantages of the status quo?
Changing	3. What are the advantages of changing	4. What are the downsides of changing?



-

-

-

-

-


-


-




-

-

-







-

-


-


-



-

-





- -

- -

-

-

-

○

○

○

○

●



●

○

-

-



-



-



-

-









-

-

-

•


•



•

•

•

-
-
-
-
-
-
-





•

•

-

-




-

-

-

-





•

•

•

•



•

•

	Vaginal birth	Cesarean Birth
Non-opioids	<ul style="list-style-type: none"> Ibuprofen 600 mg Q 6 hours. Dispense # 30, 600 mg tablets (1-week supply). Acetaminophen 650 mg Q 6 hours. Dispense #60, 325 mg tablets (1-week supply). 	<ul style="list-style-type: none"> Ibuprofen 600 mg Q 6 hours. Dispense # 60, 600 mg tablets (2-week supply). Acetaminophen 650 mg Q 6 hours. Dispense #120, 325 mg tablets (2-week supply)
Opioids	<ul style="list-style-type: none"> Opioids not prescribed unless required by patient for pain control during the hospital stay. 	<ul style="list-style-type: none"> Use shared decision making and consider CDC safe prescribing of only 3 days' supply. Oxycodone 5 mg Q 6 hours PRN pain. Dispense 15-20 tablets (3 days' supply).

•

•



•



•

-

A large light blue rectangular area containing a bulleted list and two horizontal lines. The list consists of four items, with the first two grouped together. The lines are located at the bottom left of the area.

-
-
-
-





-

-

-

-

-




-



-


-

-

-







-

-

-

-

 -

 -



 -




 -


 -

-

 -













-

-













•

•

•














•


- -
 -
-
-
-


























-

-

 -

 -

 -


-


-




-



-











•

-
-
-

